



---

**PRODUCT-DETAILS**

# KIT FC CuAl A1 80A 4pcs UL

## KIT FC CuAl A1 80A 4pcs UL

---

**General Information**

Extended Product Type	KIT FC CuAl A1 80A 4pcs UL
Product ID	1SDA069974R1
EAN	8015644707736
Catalog Description	KIT FC CuAl A1 80A 4pcs UL
Long Description	FRONT TERMINALS FOR CABLES IN COPPER-ALUMINIUM 80A 4pcs A1 UL

---

**Material Compliance**

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

---

**Environmental**


---

Environmental Information	9AKK108467A6707
---------------------------	-----------------

---



---

**Ordering**


---

Order Code US and Canada	KA1080-4
EAN	8015644707736
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

---



---

**Dimensions**


---

Product Net Weight	0.31 kg
--------------------	---------

---



---

**Container Information**


---

Package Level 1 Gross Weight	0.37 kg
------------------------------	---------

---



---

**Additional Information**


---

Product Main Type	Accessories for FORMULA
Product Name	Accessory
Product Type	ACC
Suitable For	A1

---



---

**Technical**


---

Configuration Type	Loose or configurable
Number of Poles	2P
Standards	UL

---



---

**Certificates and Declarations**


---

Data Sheet, Technical Information	1SDC210400D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDC210032D0204

---



---

**External Classifications and Standards**


---

ETIM 8	EC002019 - Connection vane/phase spreader
ETIM 9	EC002019 - Connection vane/phase spreader
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals
UNSPSC	39121432
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Formula DSA