



 PRODUCT-DETAILS

MBC33

PRO-STK XT1 3 Pole M BKR Kit



General Information

| | |
|-------------------------|--|
| Global Commercial Alias | MBC33 |
| Extended Product Type | MBC33 |
| Product ID | 1TQR160030C0030 |
| EAN | 783175878567 |
| Catalog Description | PRO-STK XT1 3 Pole M BKR Kit |
| Long Description | ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC. |

ABB EcoSolutions

| | |
|---|--------------------|
| ABB EcoSolutions | Yes |
| End Of Life Disassembling Instructions | 1SQC173021M0202 |
| Environmental Product Declaration - EPD | 1SQC173004D0201 |
| Extended Product Lifetime | Product Modularity |
| Recyclability Rate of the Product acc. to EN45555 | 92.6 % |

Installation

Installation Manual

1TQC213000E0022

Material Compliance

RoHS Status

No declaration needed

REACH Information

False - does not contain substances > 0.1 mass percentage

Ordering

Minimum Order Quantity

1 piece

Certificates and Declarations

Declaration of Conformity
- CE

No declaration needed

External Classifications and Standards

WEEE Category

Product Not in WEEE Scope

UNSPSC

39121724


IDEA Granular Category
Code (IGCC)

5078 >> Connector mounting hardware

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → PROSTOCK Lighting Panels

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → ReliaGear Lighting Panels



360°

