



## Account Details

**Account No.** 8284502\_USS1\_10\_10  
**Account Name** IMPORTADORA DE PLOMERIA, SA  
**Address** IMPORTADORA DE PLOMERIA, SA,  
COSTA DEL ESTE, URBANIZACION  
PARQUE INDUSTRIAL, PANAMA  
CITY, Panama, 00000, Panamá  
**Sales Org.** ABB IS United States  
**Sales Channel** Distribución  
**Currency** USD  
**As on Date** 08-05-2020

Número de Catálogo THQL2115

## Detalles del Producto



**UPC:** 783164012903

**Detalles:** Q line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications. The QL breakers are plug-in versions of the Q Line used for connection to load centers and lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions, can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications. 2115 Amps 15 A 21152903

## Detalles del Producto

### Detalles

<b>Número de Catálogo</b>	THQL2115	<b>UPC</b>	783164012903
<b>Descripción</b>	Interrupor T Enchufable 2P 15A 120/240V	<b>Cumplimiento GSA</b>	Yes
<b>Peso estándar del paquete</b>	0.634 LB	<b>Planificación de descuento</b>	R5
<b>Familia de producto</b>	R5E	<b>CCC</b>	
<b>Tarifa de reabastecimiento</b>	10-%Returnable	<b>Moneda</b>	USD
		<b>Notas</b>	
		<b>Cantidad de paquete</b>	1

N.° de referencia del cliente

País de origen

República Dominicana

Cantidad mínima del pedido

1

## Especificaciones

### Características generales

<b>Category</b>	Feeder Plug-in Circuit Breakers
<b>Product Line</b>	Q-Line (Plug-In)
<b>GO Schedule</b>	R5
<b>Trip Style</b>	Non-Interchangeable
<b>Frame Type</b>	Q-Line
<b>Amperage</b>	15 A
<b>System Voltage</b>	120 Vac 120/240 Vac
<b>Poles</b>	2
<b>Trip Function</b>	LI
<b>Continuous Current Rated</b>	Standard
<b>120 Vac Interrupting Rating</b>	10 KAIC
<b>120/240 Vac Interrupting Rating</b>	10 KAIC
<b>Suitable for Reverse Feed</b>	Yes
<b>Long Time</b>	Fixed
<b>Instantaneous</b>	Fixed
<b>Protective Relays</b>	No
<b>Current Metering</b>	No
<b>Special Markings</b>	HACR
<b>GSA Compliance</b>	Yes

### Dimensiones y clasificaciones

UL File #

E11592

Título	Tipo de documento	Fecha	N.º de publicación	Tipo de publicación
PowerMark Gold* Load Centers, Q-Line Circuit Breakers and Accessories Guide  Guide includes product features, photos, product number selection guide, knockout drawings, wiring diagrams, accessories and options list. Only available on-line.	PDF (2691.9 kb)	01/31/2019	DET1023	Application and Technical
Q-Line Plug-In MCCB, 100A Frame 1-, 2-, or 3-Pole, Drawing 1-Page fully dimensioned outline drawing in .pdf format	PDF (419.8 kb)	03/01/2009	455C872-SH1	Drawings-Outline and Dimensional

by ABB

[go.abb/industrial.com](http://go.abb/industrial.com)

Creado el: 08/05/2020