



Account Details

Account No. 8284502_USS1_10_10
Account Name IMPORTADORA DE PLOMERIA, SA
Address IMPORTADORA DE PLOMERIA, SA,
COSTA DEL ESTE, URBANIZACION
PARQUE INDUSTRIAL, PANAMA
CITY, Panama, 00000, Panamá
Sales Org. ABB IS United States
Sales Channel Distribución
Currency USD
As on Date 20-05-2020

Número de Catálogo THQB32020

Detalles del Producto



UPC: 783164012408

Detalles: Q line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications. The QB breakers are bolt-on versions of the Q Line used for bolting to the bus connections of load centers and lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions, can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications. 2020 Amps 20 A 20202408

Detalles del Producto

Detalles

| | | | |
|-----------------------------------|---|-----------------------------------|--------------|
| Número de Catálogo | THQB32020 | UPC | 783164012408 |
| Descripción | Interrupor T Atornillable 3P 20A 240VAC | Cumplimiento GSA | No |
| Peso estándar del paquete | 1.150 LB | Planificación de descuento | EB |
| Familia de producto | EBT | CCC | |
| Tarifa de reabastecimiento | 10-%Returnable | Moneda | USD |
| | | Notas | |
| | | Cantidad de paquete | 1 |

N.° de referencia del cliente

País de origen

Brasil

Cantidad mínima del pedido

1

Especificaciones

Características generales

| | |
|--|-----------------------------------|
| Category | Q-Line Miniature Circuit Breakers |
| Product Line | TEY / Q-Line (Bolt-On) |
| GO Schedule | EB |
| Trip Style | Non-Interchangeable |
| Frame Type | Q-Line |
| Amperage | 20 A |
| System Voltage | 120 Vac 120/240 Vac 240 Vac |
| Poles | 3 |
| Trip Function | LI |
| Continuous Current Rated | Standard |
| 120 Vac Interrupting Rating | 10 KAIC |
| 120/240 Vac Interrupting Rating | 10 KAIC |
| 240 Vac Interrupting Rating | 10 KAIC |
| Suitable for Reverse Feed | Yes |
| Long Time | Fixed |
| Instantaneous | Fixed |
| Protective Relays | No |
| Current Metering | No |
| Special Markings | HACR |
| GSA Compliance | No |

Dimensiones y clasificaciones

UL File #

E11592

Publicaciones

| Título | Tipo de documento | Fecha | N.º de publicación | Tipo de publicación |
|---|-------------------|------------|--------------------|----------------------------------|
| Q-Line Bolt-On MCCB, 100A Frame 1-, 2-, or 3-Pole, Drawing 1-Page fully dimensioned outline drawing in .pdf format | PDF (370.4 kb) | 03/01/2009 | 455C873-SH1 | Drawings-Outline and Dimensional |

by ABB

go.abb/industrial.com

Creado el: 20/05/2020